

SIXHUMENE-Wave3_10-22-2025.netcanvas

Sixhumene - Social network modules - Wave 3



LAST MODIFIED:10/22/2025, 11:48:54 AM

SCHEMA VERSION:7

DOCUMENT CREATED: 10/22/2025 11:50:44 AM

Contents

STAGES

1. Protocol Citation Information
2. Fieldworker ID
3. Study ID
4. Intro to SN module
5. Non-roster name generator
6. Referral QR assignment
7. Name identifier
8. Alter Characteristics - R3
9. Alter characteristics - relatives
10. Alter characteristics - other relative
11. Alter characteristics - R2 boy/girlfriend
12. Alter characteristics - friend
13. Alter characteristics - other relationship
14. Alter communication
15. Sociogram
16. Alter alter communication
17. Discuss introductions
18. Sexual discussions
19. Alter sexual relationship - screener
20. Alter sexual relationship - detail

CODEBOOK

Ego

NODE TYPES

 Person

EDGE TYPES

 CoResidents

 Known



PAGE HEADING

Protocol Citation Information


ITEMS

BLOCK SIZE	SMALL
TYPE	Text
CONTENT	Protocol Authors: Nxumalo V, Nxumalo S, Smit T, Khoza T, Mdaba F, Khumalo T, Cislaghi B, McGrath N, Seeley J, Shahmanesh M, Harling G.
BLOCK SIZE	SMALL
TYPE	Text
CONTENT	Cite Publication: Nxumalo, V., Nxumalo, S., Smit, T., Khoza, T., Mdaba, F., Khumalo, T., Cislaghi, B., McGrath, N., Seeley, J., Shahmanesh, M., & Harling, G. (2022). Protocol: Mapping social networks, social influence and sexual health among youth in rural KwaZulu-Natal, the Sixhumene cohort study [version 1; peer review: 2 approved]. <i>Wellcome Open Research</i> , 7, 164. [https://doi.org/10.12688/wellcomeopenres.17896.1] [https://doi.org/10.12688/wellcomeopenres.17896.1]
BLOCK SIZE	SMALL
TYPE	Text
CONTENT	Study Title: Mapping Social Networks, Social Influence and Sexual Health Among Youth in Rural KwaZulu-Natal, the Sixhumene Cohort Study
BLOCK SIZE	SMALL
TYPE	Text
CONTENT	PI: Guy Harling Grant Number: 210479/Z/18/Z

INTERVIEWER SCRIPT

2

Fieldworker ID



INTRODUCTION PANEL

Fieldworker ID

FORM

VARIABLE



FW_check

COMPONENT

Text


PROMPT

Please enter your fieldworker ID

INTERVIEWER SCRIPT

3

Study ID



INTRODUCTION PANEL

Study ID

Please enter the Study ID of this participant from your list.

FORM

VARIABLE	COMPONENT	PROMPT
 DSID_check	Text	What is this person's study ID
 ID_check	Text	Please enter this person's name
 site_check	ToggleButtonGroup	Which study site is this person linked to?

INTERVIEWER SCRIPT

4

Intro to SN module

This interface has a video with sound.

The video below has sound and is not closed. Some content, but content that can contain formatting



PAGE HEADING

Social network name generator

ITEMS

BLOCK SIZE	SMALL
TYPE	Text
CONTENT	Now we are going to ask some questions about the people you just named. After entering the name of each person, first we will ask about the connection you have with each person, and then some questions about what you think they believe and do.

INTERVIEWER SCRIPT

5

Non-roster name generator


SUBJECT



Person

VARIABLES

name, NgNonRoster



QUICK ADD

VARIABLE



name

TYPE

text

PROMPTS

1. IWER: Please enter each of the names you have written down here.

VARIABLE



NgNonRoster

VALUE


TRUE

INTERVIEWER SCRIPT

6

Referral QR assignment

SUBJECT	 Person
VARIABLES	AltQR



INTRODUCTION PANEL

Contact QR assignment

We now want to assign codes to each named contact

FORM

VARIABLE	COMPONENT	PROMPT
 AltQR	Text	Please enter the 3 letter QR code for this person from their referral slip

INTERVIEWER SCRIPT

7

Name identifier


SUBJECT



Person

VARIABLES

IntBirthday, IntFatherName, IntFatherSurname,
IntFirstName, IntFirstNameOther, IntLastName,
IntLastNameOther, IntMotherName,
IntMotherSurname, IntNickname, IntPhone,
IntPhone2



INTRODUCTION PANEL

Name linkage

To understand who is connected to whom, we would like to be able to connect your responses to those of your contacts who live in this area. This data will allow us to understand how behaviour and health spreads in your community. To do this we need to ask you some questions that will help us to identify the people you have spoken to us about. I will now ask you about your each of your contacts. If we come to any question that you don't want to answer, you can skip it and go onto the next question.

FORM

VARIABLE	COMPONENT	PROMPT
 IntFirstName	Text	4.1. What is this person's first name?
 IntFirstNameOther	Text	4.2. Does this person have any other first names?
 IntLastName	Text	4.3. What is this person's last name?
 IntLastNameOther	Text	4.4. Has this person previously had any other last names?
 IntNickname	Text	Please tell us any nicknames this person has? (If none, enter 'none')
 IntMotherName	Text	4.7. What is this person's mother's name?
 IntMotherSurname	Text	4.7a. What is this person's mother's surname?
 IntFatherName	Text	4.8. What is this person's father's name?
 IntFatherSurname	Text	4.8a. What is this person's father's surname?
 IntBirthday	Text	4.9. When is this person's birthday?
 IntPhone	Text	4.10. Do you have a phone number for this person? If so, what is it?
 IntPhone2	Text	4.11. Do you have any other phone number for this person? If so, what is it?

INTERVIEWER SCRIPT

8

Alter Characteristics - R3


SUBJECT



Person

VARIABLES

AltAge, AltGender, AltLength, AltLoc1, AltRelate



INTRODUCTION PANEL

Alter demographics

Please tell us about this contact

FORM

VARIABLE



AltGender

COMPONENT

ToggleButtonGroup

PROMPT

3.8. Is this person male or female?



AltAge

Number

3.9a. How old is this person? If you do not know for certain, your best guess is fine.



AltRelate

ToggleButtonGroup

3.9. Is this person a relation of yours?



AltLoc1

RadioGroup

3.23. Where does this person live?



AltLength

Number

3.13. How long have you known this person in years? Please round to the nearest year.

INTERVIEWER SCRIPT

9

Alter characteristics - relatives

SUBJECT



Person

VARIABLES

AltRelate, AltRelType



NETWORK FILTERING

RULES



Person

where



AltRelate

includes **Yes**

SKIP LOGIC

ACTION

SHOW

RULES



Person

where



AltRelate

includes **Yes**

PROMPTS

- 3.10. What kind of relation is this person to you?

VARIABLE




AltRelType

INTERVIEWER SCRIPT

10

Alter characteristics - other relative

SUBJECT	Person
VARIABLES	AltRelativeOther, AltRelType



NETWORK FILTERING

RULES	Person where AltRelType includes <u>Other relation</u>
-------	---

SKIP LOGIC

ACTION	SHOW
RULES	Person where AltRelType includes <u>Other relation</u>

INTRODUCTION PANEL

Other relative

You said that this person is an other type of relative

FORM


VARIABLE	COMPONENT	PROMPT
AltRelativeOther	Text	3.10_o. Please describe how you are related to this person

INTERVIEWER SCRIPT

11

Alter characteristics - R2 boy/girlfriend

SUBJECT	 Person
VARIABLES	AltBoyGirlfriend, AltRelate



NETWORK FILTERING

RULES	 Person where  AltRelate includes No
-------	---

SKIP LOGIC

ACTION	SHOW
RULES	 Person where  AltRelate includes No

INTRODUCTION PANEL

Relationship status

You said that this person was not a relative

FORM

VARIABLE	COMPONENT	PROMPT
 AltBoyGirlfriend	ToggleButtonGroup	Is this person your boyfriend/girlfriend?

INTERVIEWER SCRIPT

12

Alter characteristics - friend

SUBJECT



Person

VARIABLES

AltBoyGirlfriend, AltFriend



NETWORK FILTERING

RULES



Person

where



AltBoyGirlfriend

includes **No**

SKIP LOGIC

ACTION

SHOW

RULES



Person

where



AltBoyGirlfriend

includes **No**

PROMPTS

- 3.11. Is this person a friend of yours?

VARIABLE




AltFriend

INTERVIEWER SCRIPT

13

Alter characteristics - other relationship

SUBJECT	Person
VARIABLES	AltFriend, AltRelOther



NETWORK FILTERING

RULES	Person where AltFriend includes No
-------	---

SKIP LOGIC

ACTION	SHOW
RULES	Person where AltFriend excludes No

INTRODUCTION PANEL

Other relationship

You said this person is neither a relative nor a boyfriend/girlfriend nor a friend.


FORM

VARIABLE	COMPONENT	PROMPT
AltRelOther	Text	3.12. Please describe your relationship with this person

INTERVIEWER SCRIPT

14

Alter communication



SUBJECT



Person

VARIABLES

AltFrqArgue, AltFrqComm, AltFrqEmot, AltFrqfin,
AltFrqInfo, AltFrqPhys, AltFrqSee, AltFrqSoc

PROMPTS

1. 3.15. Over the past six months, on average how often have you **seen** this person?

VARIABLE



AltFrqSee

2. 3.16. Over the past six months, on average how often have you communicated with this person **without seeing them**? This might include telephone conversations, text messages, emails or letters.

VARIABLE



AltFrqComm

3. 3.17. Over the past six months, how often have you received emotional support from this person, such as when you are feeling sad, anxious or upset?

VARIABLE



AltFrqEmot

4. 3.18. Over the past six months, how often have you received help doing things from this person, such as tasks inside or outside your home or borrowing things?

VARIABLE



AltFrqPhys

5. 3.19. Over the past six months, how often have you received information or advice from this person, such as about a health or employment problem, or moving to another place?

VARIABLE



AltFrqInfo

6. 3.20. Over the past six months, how often have you received help with money from this person, such as borrowing money or food, or getting a job that pays?

VARIABLE



AltFrqfin

7. 3.21. Over the past six months, how often have you socializing with this person, such as visiting them, or them visiting you, or going out somewhere with them?

VARIABLE



AltFrqSoc

8. 3.21a. Over the past six months, how often has this person argued with you or criticized you in a humiliating way?

VARIABLE



AltFrqArgue

INTERVIEWER SCRIPT

15

Sociogram

SUBJECT



Person

VARIABLES

XYInitial



SKIP LOGIC

ACTION

SHOW

RULES



Person exists

PROMPTS

- 3.53. Please place each person on this map. Please put people who are closer to you nearer the centre, and people who are closer to one-another closer together.

LAYOUT VARIABLE



XYInitial

ALLOW HIGHLIGHTING

FALSE

- 3.54a. On this map, please draw a line between each pair of individuals who know each other

LAYOUT VARIABLE



XYInitial

CREATES EDGE



Known

ALLOW HIGHLIGHTING

FALSE

- 3.54. On this map, please draw a line between each pair of individuals who live together.

LAYOUT VARIABLE



XYInitial

CREATES EDGE



CoResidents

ALLOW HIGHLIGHTING

FALSE

INTERVIEWER SCRIPT

16

Alter alter communication


SUBJECT



Known

VARIABLES

AltAltComm



NETWORK FILTERING

RULES



Known

exists

SKIP LOGIC

ACTION

SHOW

RULES



Known

exists

INTRODUCTION PANEL

Contact interaction

We would like to understand how well your contacts know one another. If you are not sure about the right answer, your best guess is fine.

FORM

VARIABLE



AltAltComm

COMPONENT

RadioGroup


PROMPT

3.55. How often you think these two people see or communicate with one-another?

INTERVIEWER SCRIPT

17

Discuss introductions



SKIP LOGIC

ACTION	SHOW
RULES	 exists

PAGE HEADING

Discussions with contacts

ITEMS

BLOCK SIZE	SMALL
TYPE	Text
CONTENT	I would like to ask you some questions about what you and your contacts talk about and their opinions about things. If you do not know their opinion, your best guess is fine.

INTERVIEWER SCRIPT

18

Sexual discussions



SUBJECT



Person

VARIABLES

AltAdvicePrevIn, AltAdvicePrevOut,
AltAdviceSexIn, AltAdviceSexOut,
AltDiscussPrevent, AltDiscussSex

SKIP LOGIC

ACTION

SHOW

RULES



exists

PROMPTS

1. 3.33. Have you ever talked with this person about sexual matters?

VARIABLE



AltDiscussSex

2. 3.34. Have you ever talked with this person about avoiding HIV or other sexually transmitted infections?

VARIABLE



AltDiscussPrevent

3. 3.40. Have you ever asked this person for advice about who to have a sexual relationship with?

VARIABLE



AltAdviceSexIn

4. 3.41. Have you ever asked this person for advice about how to avoid getting HIV or other sexually transmitted infections?

VARIABLE



AltAdvicePrevIn

5. 3.42. Has this person ever asked you for advice about who to have a sexual relationship with?

VARIABLE



AltAdviceSexOut

6. 3.43. Has this person ever asked you for advice about how to avoid getting HIV or other sexually transmitted infections?

VARIABLE



AltAdvicePrevOut

INTERVIEWER SCRIPT

19

Alter sexual relationship - screener



SUBJECT



Person

VARIABLES

AltRelate, AltRelType, AltSex1

NETWORK FILTERING

RULES



Person

where



AltRelate

includes **No**

OR



Person

where



AltRelType

includes **Partner**

SKIP LOGIC

ACTION

SHOW

RULES



Person

where



AltRelate

includes **No**

OR



Person

where



AltRelType

includes **Partner**

PROMPTS

- 3.29. Have you ever had sex with this person?

VARIABLE




AltSex1

INTERVIEWER SCRIPT

20

Alter sexual relationship - detail



SUBJECT



Person

VARIABLES

AltSex1, AltSexCondom

NETWORK FILTERING

RULES



Person

where



AltSex1

includes **Yes**

SKIP LOGIC

ACTION

SHOW

RULES



Person

where



AltSex1

includes **Yes**

INTRODUCTION PANEL

Sexual relationships

FORM

VARIABLE



AltSexCondom

COMPONENT

RadioGroup

PROMPT

3.32. How often do you use a condom with this person?

INTERVIEWER SCRIPT

Ego

Name	Type	Used In								
DSID_check	text	Study ID								
FW_check	text	Fieldworker ID								
ID_check	text	Study ID								
site_check	categorycategorical <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Shikishela</td></tr><tr><td>2</td><td>Tholokuhle</td></tr><tr><td>3</td><td>KwaMsane</td></tr></table>	VALUE	LABEL	1	Shikishela	2	Tholokuhle	3	KwaMsane	Study ID
VALUE	LABEL									
1	Shikishela									
2	Tholokuhle									
3	KwaMsane									



Person

Name	Type	Used In								
AltAdvicePrevIn	categoryical <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>93</td><td>PNTA</td></tr></table>	VALUE	LABEL	1	Yes	2	No	93	PNTA	Sexual discussions
VALUE	LABEL									
1	Yes									
2	No									
93	PNTA									
AltAdvicePrevOut	categoryical <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>3</td><td>PNTA</td></tr></table>	VALUE	LABEL	1	Yes	2	No	3	PNTA	Sexual discussions
VALUE	LABEL									
1	Yes									
2	No									
3	PNTA									
AltAdviceSexIn	categoryical <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>93</td><td>PNTA</td></tr></table>	VALUE	LABEL	1	Yes	2	No	93	PNTA	Sexual discussions
VALUE	LABEL									
1	Yes									
2	No									
93	PNTA									
AltAdviceSexOut	categoryical <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>93</td><td>PNTA</td></tr></table>	VALUE	LABEL	1	Yes	2	No	93	PNTA	Sexual discussions
VALUE	LABEL									
1	Yes									
2	No									
93	PNTA									
123 AltAge	number	Alter Characteristics - R3								
AltBoyGirlfriend	categoryical <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr></table>	VALUE	LABEL	1	Yes	2	No	Alter characteristics - R2 boy/girlfriend Alter characteristics - friend Alter characteristics - friend		
VALUE	LABEL									
1	Yes									
2	No									

Name	Type	Used In														
 AltDiscussPrevent	categorical <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>3</td><td>PNTA</td></tr></tbody></table>	VALUE	LABEL	1	Yes	2	No	3	PNTA	Sexual discussions						
VALUE	LABEL															
1	Yes															
2	No															
3	PNTA															
 AltDiscussSex	categorical <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>93</td><td>PNTA</td></tr></tbody></table>	VALUE	LABEL	1	Yes	2	No	93	PNTA	Sexual discussions						
VALUE	LABEL															
1	Yes															
2	No															
93	PNTA															
 AltFriend	categorical <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>3</td><td>PNTA</td></tr></tbody></table>	VALUE	LABEL	1	Yes	2	No	3	PNTA	Alter characteristics - friend Alter characteristics - other relationship Alter characteristics - other relationship						
VALUE	LABEL															
1	Yes															
2	No															
3	PNTA															
 AltFrqArgue	ordinal <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>6</td><td>Every day or almost every day</td></tr><tr><td>5</td><td>A few times a week</td></tr><tr><td>4</td><td>Once a week</td></tr><tr><td>3</td><td>A few times a month</td></tr><tr><td>2</td><td>Once a month</td></tr><tr><td>1</td><td>Less than once a month</td></tr></tbody></table>	VALUE	LABEL	6	Every day or almost every day	5	A few times a week	4	Once a week	3	A few times a month	2	Once a month	1	Less than once a month	Alter communication
VALUE	LABEL															
6	Every day or almost every day															
5	A few times a week															
4	Once a week															
3	A few times a month															
2	Once a month															
1	Less than once a month															

AltFrqComm

ordinal

VALUE	LABEL
6	Every day or almost every day
5	A few times a week
4	Once a week
3	A few times a month
2	Once a month
1	Less than once a month

Alter communication

 AltFrqEmot

ordinal

Alter communication

VALUE	LABEL
6	Every day or almost every day
5	A few times a week
4	Once a week
3	A few times a month
2	Once a month
1	Less than once a month

Name	Type	Used In														
 AltFrqfin	ordinal	Alter communication														
<table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>6</td><td>Every day or almost every day</td></tr><tr><td>5</td><td>A few times a week</td></tr><tr><td>4</td><td>Once a week</td></tr><tr><td>3</td><td>A few times a month</td></tr><tr><td>2</td><td>Once a month</td></tr><tr><td>1</td><td>Less than once a month</td></tr></table>			VALUE	LABEL	6	Every day or almost every day	5	A few times a week	4	Once a week	3	A few times a month	2	Once a month	1	Less than once a month
VALUE	LABEL															
6	Every day or almost every day															
5	A few times a week															
4	Once a week															
3	A few times a month															
2	Once a month															
1	Less than once a month															

AltFrqInfo

ordinal

Alter communication

VALUE	LABEL
6	Every day or almost every day
5	A few times a week
4	Once a week
3	A few times a month
2	Once a month
1	Less than once a month

Name	Type	Used In														
 AltFrqPhys	ordinal	Alter communication														
<table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>6</td><td>Every day or almost every day</td></tr><tr><td>5</td><td>A few times a week</td></tr><tr><td>4</td><td>Once a week</td></tr><tr><td>3</td><td>A few times a month</td></tr><tr><td>2</td><td>Once a month</td></tr><tr><td>1</td><td>Less than once a month</td></tr></table>			VALUE	LABEL	6	Every day or almost every day	5	A few times a week	4	Once a week	3	A few times a month	2	Once a month	1	Less than once a month
VALUE	LABEL															
6	Every day or almost every day															
5	A few times a week															
4	Once a week															
3	A few times a month															
2	Once a month															
1	Less than once a month															

AltFrqSee

ordinal

Alter communication

VALUE	LABEL
6	Every day or almost every day
5	A few times a week
4	Once a week
3	A few times a month
2	Once a month
1	Less than once a month

Name	Type	Used In														
 AltFrqSoc	ordinal <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>6</td><td>Every day or almost every day</td></tr><tr><td>5</td><td>A few times a week</td></tr><tr><td>4</td><td>Once a week</td></tr><tr><td>3</td><td>A few times a month</td></tr><tr><td>2</td><td>Once a month</td></tr><tr><td>1</td><td>Less than once a month</td></tr></tbody></table>	VALUE	LABEL	6	Every day or almost every day	5	A few times a week	4	Once a week	3	A few times a month	2	Once a month	1	Less than once a month	Alter communication
VALUE	LABEL															
6	Every day or almost every day															
5	A few times a week															
4	Once a week															
3	A few times a month															
2	Once a month															
1	Less than once a month															
 AltGender	categorical <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Male</td></tr><tr><td>2</td><td>Female</td></tr></tbody></table>	VALUE	LABEL	1	Male	2	Female	Alter Characteristics - R3								
VALUE	LABEL															
1	Male															
2	Female															
 AltLength	number	Alter Characteristics - R3														

Name	Type	Used In														
 AltLoc1	ordinal <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>In this home</td></tr><tr><td>2</td><td>In this bounded structure</td></tr><tr><td>3</td><td>In this isigodi</td></tr><tr><td>4</td><td>Outside this isigodi, within Mpukunyoni Tribal Area</td></tr><tr><td>5</td><td>Outside Mpukunyoni Tribal Area</td></tr><tr><td>93</td><td>PNTA</td></tr></tbody></table>	VALUE	LABEL	1	In this home	2	In this bounded structure	3	In this isigodi	4	Outside this isigodi, within Mpukunyoni Tribal Area	5	Outside Mpukunyoni Tribal Area	93	PNTA	Alter Characteristics - R3
VALUE	LABEL															
1	In this home															
2	In this bounded structure															
3	In this isigodi															
4	Outside this isigodi, within Mpukunyoni Tribal Area															
5	Outside Mpukunyoni Tribal Area															
93	PNTA															
 AltQR	text	Referral QR assignment														
 AltRelate	categorical <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>93</td><td>PNTA</td></tr></tbody></table>	VALUE	LABEL	1	Yes	2	No	93	PNTA	Alter Characteristics - R3 Alter characteristics - relatives Alter characteristics - R2 boy/girlfriend Alter sexual relationship - screener Alter characteristics - relatives Alter characteristics - R2 boy/girlfriend Alter sexual relationship - screener						
VALUE	LABEL															
1	Yes															
2	No															
93	PNTA															
 AltRelativeOther	text	Alter characteristics - other relative														
 AltRelOther	text	Alter characteristics - other relationship														

Name	Type	Used In														
AltRelType	categorical <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Parent</td></tr><tr><td>2</td><td>Sibling</td></tr><tr><td>3</td><td>Partner</td></tr><tr><td>4</td><td>Child</td></tr><tr><td>9</td><td>Other relation</td></tr><tr><td>93</td><td>PNTA</td></tr></tbody></table>	VALUE	LABEL	1	Parent	2	Sibling	3	Partner	4	Child	9	Other relation	93	PNTA	Alter characteristics - relatives Alter characteristics - other relative Alter sexual relationship - screener Alter characteristics - other relative Alter sexual relationship - screener
VALUE	LABEL															
1	Parent															
2	Sibling															
3	Partner															
4	Child															
9	Other relation															
93	PNTA															
AltSex1	categorical <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>93</td><td>PNTA</td></tr></tbody></table>	VALUE	LABEL	1	Yes	2	No	93	PNTA	Alter sexual relationship - screener Alter sexual relationship - detail Alter sexual relationship - detail						
VALUE	LABEL															
1	Yes															
2	No															
93	PNTA															
AltSexCondom	ordinal <table><thead><tr><th>VALUE</th><th>LABEL</th></tr></thead><tbody><tr><td>1</td><td>Never</td></tr><tr><td>2</td><td>Rarely, once in a while</td></tr><tr><td>3</td><td>Sometimes, about half of the time</td></tr><tr><td>4</td><td>Frequently, but not all the time</td></tr><tr><td>5</td><td>Always</td></tr><tr><td>93</td><td>PNTA</td></tr></tbody></table>	VALUE	LABEL	1	Never	2	Rarely, once in a while	3	Sometimes, about half of the time	4	Frequently, but not all the time	5	Always	93	PNTA	Alter sexual relationship - detail
VALUE	LABEL															
1	Never															
2	Rarely, once in a while															
3	Sometimes, about half of the time															
4	Frequently, but not all the time															
5	Always															
93	PNTA															
IntBirthday	text	Name identifier														
IntFatherName	text	Name identifier														

Name	Type	Used In
 IntFatherSurname	text	Name identifier
 IntFirstName	text	Name identifier
 IntFirstNameOther	text	Name identifier
 IntLastName	text	Name identifier
 IntLastNameOther	text	Name identifier
 IntMotherName	text	Name identifier
 IntMotherSurname	text	Name identifier
 IntNickname	text	Name identifier
 IntPhone	text	Name identifier
 IntPhone2	text	Name identifier
 name	text	Non-roster name generator
 NgNonRoster	boolean	Non-roster name generator
 XYInitial	layout	Sociogram Sociogram Sociogram



CoResidents

Name	Type	Used In
------	------	---------

No variables to display.



Name	Type	Used In														
AltAltComm	ordinal <table><tr><th>VALUE</th><th>LABEL</th></tr><tr><td>1</td><td>Every day or almost every day</td></tr><tr><td>2</td><td>A few times a week</td></tr><tr><td>3</td><td>Once a week</td></tr><tr><td>4</td><td>A few times a month</td></tr><tr><td>5</td><td>Once a month</td></tr><tr><td>6</td><td>Less than once a month</td></tr></table>	VALUE	LABEL	1	Every day or almost every day	2	A few times a week	3	Once a week	4	A few times a month	5	Once a month	6	Less than once a month	Alter alter communication
VALUE	LABEL															
1	Every day or almost every day															
2	A few times a week															
3	Once a week															
4	A few times a month															
5	Once a month															
6	Less than once a month															